

IN THE CLAIMS:

Cancel claims 1-3.

4 (Amended). ~~The A~~ A method of claim 2, modulating the activity of a nuclear hormone receptor in a mammal comprising administering to the mammal a therapeutically-effective amount of a ~~wherein said~~ compound is selected from the group consisting of:

(3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-hydroxyphenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-[4-(1H-tetrazol-5-yl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate (1:1), (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-[3-methoxy-4-(1H-1,2,4-triazol-1-yl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-2-oxo-6-benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-3-methyl-2-oxo-6-benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-1-methyl-2-oxo-1H-indol-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2-Fluorenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(1H-Benzotriazol-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[3-Chloro-4-(4-morpholinyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-1H-inden-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(7-hydroxy-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(1H-indol-5-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(1H-indazol-6-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(1,3-Benzodioxol-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Amino-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-methyl-4-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(8-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-1,4-benzodioxin-6-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-methyl-2-oxo-2H-

1-benzopyran-7-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(5-isoquinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,5-Dimethoxy-4-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2,3,5,6-Tetrafluoro-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzonitrile, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trifluorophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trichlorophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Difluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-1H-indol-6-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-fluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3,4,5-trichlorophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-methoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-methyl-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dimethylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Bromo-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Fluoro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Fluoro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Chloro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-2-methoxy-5-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,5-Dichloro-4-hydroxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-hydroxy-3-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Amino-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2,2'-(2,3,5,6-Tetramethyl-1,4-phenylene)bis[3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione], (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-methyl-3-

nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3,4,5-trimethoxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dimethoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3-hydroxy-4-methoxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(5-Chloro-2-hydroxy-4-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-methoxy-3-dibenzofuranyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,3,4-trifluorophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-2-methyl-1,3-dioxo-1H-isoindol-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-2,3,5,6-tetrafluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[2,5-Dichloro-4-(1H-pyrrol-1-yl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[3-[(Diethylamino)methyl]-4-hydroxyphenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(6-Benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-methoxybenzenecarboxylic acid, methyl ester, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-oxo-2H-1-benzopyran-6-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-methyl-8-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,3,5,6-tetramethyl-4-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trimethylphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Fluoro-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3-methoxy-4-methylphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-N-Ethyl-5-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-methyl-N-phenylbenzenesulfonamide, (3a α ,4 α ,7 α ,7a α)-6-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2,4-dimethyl-3-pyridinecarbonitrile, (3a α ,4 α ,7 α ,7a α)-2-(3-Dibenzofuranyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2'-hydroxy[1,1':3',1''-terphenyl]-5'-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(1,3-Dihydro-2,2-dioxidobenzo[c]thiophen-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Amino-2,3,5,6-tetrafluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-N-[2-Chloro-6-fluoro-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)phenyl]acetamide,

(3a α ,4 α ,7 α ,7a α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-(trifluoromethyl)benzonitrile, (3a α ,4 α ,7 α ,7a α)-2-Fluoro-5-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzonitrile, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[2-Ethoxy-8-methyl-4-(trifluoromethyl)-7-quinolinyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[1,2-Dihydro-8-methyl-2-oxo-4-(trifluoromethyl)-7-quinolinyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(9-Ethyl-9H-carbazol-2-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[4-(1-piperidinyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[4-(4-morpholinyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(7-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(1,2,3,4-tetrahydro-2-oxo-7-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[3-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-methylphenoxy]-2-methylpropanoic acid, ethyl ester, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[4-(4-methyl-1-piperazinyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-(Diethylamino)-1-naphthalenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(8-hydroxy-5-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[2-(4-morpholinyl)-5-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,5-Dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-fluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Fluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[4-(1,2,3-thiadiazol-4-yl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-N-[2-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-4-(trifluoromethyl)phenyl]acetamide, (3a α ,4 α ,7 α ,7a α)-N-[5-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-3-(trifluoromethyl)phenyl]acetamide, (3a α ,4 α ,7 α ,7a α)-2-[3-Amino-5-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[1,2-Dihydro-2-oxo-4-(trifluoromethyl)-7-quinolinyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-N-[5-

(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-6-(methylthio)-8-quinolinyl]acetamide, (3a α ,4 α ,7 α ,7a α)-2-[5-Ethoxy-2-(methoxymethyl)-4-(4-morpholinyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[(1R)-1-(1-naphthalenyl)ethyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[(1S)-1-(1-naphthalenyl)ethyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4-Fluoro-N-[3-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-5-(trifluoromethyl)phenyl]benzenesulfonamide, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[7-(trifluoromethyl)-4-quinolinyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[8-(trifluoromethyl)-4-quinolinyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dimethyl-5-isoxazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-tetrahydro-2-(1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1-naphthalenecarbonitrile, (3a α ,4 α ,7 α ,7a α)-3-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzo[b]thiophene-2-carboxylic acid, methyl ester, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(5-nitro-8-isoquinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate (1:1), (3a α ,4 α ,7 α ,7a α)-2-(4-Amino-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-hydroxy-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3-methylphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzonitrile, (3a α ,4 α ,7 α ,7a α)-N-[4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1-naphthalenyl]acetamide, (3a α ,4 α ,7 α ,7a α)-N-[4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1-naphthalenyl]methanesulfonamide, (3a α ,4 α ,7 α ,7a α)-2-(5-Bromo-8-isoquinolinyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(7,8-Dichloro-5-quinolinyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3-methyl-4-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-N-[4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1-naphthalenyl]-N'-methylurea, (3a α ,4 α ,7 α ,7a α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-methoxy-1-naphthalenecarbonitrile, (3a α ,4 α ,7 α ,7a α)-2-(6-Bromo-1,2-benzisoxazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(5-Bromo-1,2-benzisoxazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Fluoro-1H-indazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione,

(3a α ,4 α ,7 α ,7a α)-2-(6-Chloro-1H-indazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(5-nitro-1,2-benzisoxazol-3-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-benzofurancarboxylic acid, methyl ester, (3a α ,4 α ,7 α ,7a α)-2-(3-Benzofuranyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2-Fluorenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(1H-Benzotriazol-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[3-Chloro-4-(4-morpholinyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-1H-inden-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(5-Amino-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(7-hydroxy-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(1H-indol-5-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(1H-indazol-6-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(1,3-Benzodioxol-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Amino-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-iodophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(8-quinolinyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(1,4-Benzodioxin-6-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[2-oxo-4-(trifluoromethyl)-2H-1-benzopyran-7-yl]-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(5-isoquinolinyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,5-Dimethoxy-4-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trichlorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2-Amino-4,5-dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Difluorophenyl)-

3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-1-Acetyl-6-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-2,3-dihydro-1H-indole, (3a α ,4 α ,7 α ,7a α)-(3-Chloro-4-fluorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3,4,5-trichlorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-methoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-methyl-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dimethylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Bromo-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Fluoro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Fluoro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Chloro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-2-methoxy-5-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,5-Dichloro-4-hydroxyphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-hydroxy-3-nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Amino-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Amino-2,3,5,6-tetramethylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-methyl-3-nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3,4,5-trimethoxyphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dimethoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3-hydroxy-4-methoxyphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-6-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-1,4(2H,3H)-phthalazinedione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-methyl-5-nitro-2-pyridinyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-Chloro-4-(1,3,3a,4,7,7a-hexahydro-1,3-

dioxo-4,7-ethano-2H-isoindol-2-yl)- α -phenylbenzeneacetonitrile, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2-methoxy-3-dibenzofuranyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2,3,4-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(2,3-Dihydro-2-methyl-1,3-dioxo-1H-isoindol-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[2,5-Dichloro-4-(1H-pyrrol-1-yl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[3-[(Diethylamino)methyl]-4-hydroxyphenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-[4-(methoxymethyl)-2-oxo-2H-1-benzopyran-7-yl]-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(6-Benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-2-methoxybenzoic acid, methyl ester, (3 α ,4 α ,7 α ,7 α)-5-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-2-methylbenzonitrile, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2-oxo-2H-1-benzopyran-6-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2-methyl-8-quinoliny)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2,3,5,6-tetramethyl-4-nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trimethylphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Fluoro-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(3-methoxy-4-methylphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-N-Ethyl-5-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-2-methyl-N-phenylbenzenesulfonamide, (3 α ,4 α ,7 α ,7 α)-2,6-Dibromo-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)benzenesulfonamide, (3 α ,4 α ,8 α ,8 α)-2-(2,3-Dimethyl-1H-indol-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3-Dibenzofuranyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2'-hydroxy[1,1':3',1''-terphenyl]-5'-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(5,6,7,8-tetrahydro-3-hydroxy-2-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(1,3-Dihydro-2,2-dioxidobenzo[c]thiophen-5-yl)hexahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2-hydroxy-4,5-dimethylphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(1H-indazol-5-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Amino-2,3,5,6-tetrafluorophenyl)-3a,4,7,7a-tetrahydro-4,7-

ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-3-chlorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(5-hydroxy-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-N-[2-Chloro-6-fluoro-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)phenyl]acetamide, (3a α ,4 α ,7 α ,7a α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-2-(trifluoromethyl)benzonitrile, (3a α ,4 α ,7 α ,7a α)-5-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-2-(4-morpholinyl)benzoic acid, methyl ester, (3a α ,4 α ,7 α ,7a α)-2-Fluoro-5-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)benzonitrile, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[3-(trifluoromethyl)phenyl]-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,8 α ,8a α)-2-(9-Ethyl-9H-carbazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,8 α ,8a α)-2-[1,2-Dihydro-8-methyl-2-oxo-4-(trifluoromethyl)-7-quinolinyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[3,5-Bis(trifluoromethyl)phenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(1,2,3,4-tetrahydro-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-1H-inden-5-yl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-4-(Octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)-1-naphthalenecarbonitrile, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-1-naphthalenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(4-nitro-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(2-naphthalenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(5-quinolinyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(6-quinolinyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(5-isoquinolinyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-2-(3,5-Dinitrophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-2-(2,5-Dibromophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(2,4,5-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-2-[2-Fluoro-5-(trifluoromethyl)phenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-2-(2-Fluoro-5-methylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-

Tetrahydro-2-(2,4,5-trichlorophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(2-Chloro-4-nitrophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-[2-Chloro-5-(trifluoromethyl)phenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-Fluorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3,4-Difluorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3,5-Difluorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chlorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-fluorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3,4-Dichlorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(3,4,5-trichlorophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-methylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(3-iodophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(3-nitrophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-Acetylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[3-(trifluoromethyl)phenyl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3,4-Dimethylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3,5-Dimethylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-Ethylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Fluoro-3-nitrophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-[4-Fluoro-3-(trifluoromethyl)phenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Chloro-3-nitrophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(4-iodophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(4-nitrophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[4-(1-methylethyl)phenyl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(4-methyl-3-nitrophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-4-(Octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)benzeneacetonitrile, (3 α ,4 α ,7 α ,7 α)-2-(4-Ethylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-[4-[2-(Acetyloxy)ethyl]phenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(4-propylphenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(2,3,4-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-2,6-

difluorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-
Tetrahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3a α ,4 α ,7 α ,7a α)-2-(6-Benzothiazolyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(2-methyl-8-quinoliny)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3a α ,4 α ,7 α ,7a α)-2-(4-Fluoro-3-methylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-
trione, (3a α ,4 α ,7 α ,7a α)-2-(1,3-Dihydro-3-oxo-5-isobenzofuranyl)tetrahydro-4,7-ethano-1H-
isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-N-[2-Nitro-4-(octahydro-1,3,5-trioxo-4,7-ethano-2H-
isoindol-2-yl)phenyl]acetamide, (3a α ,4 α ,7 α ,7a α)-2-(2-Ethyl-5-nitrophenyl)tetrahydro-4,7-ethano-1H-
isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(2-methyl-5-benzofuranyl)-4,7-ethano-
1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(1H-indazol-5-yl)-4,7-ethano-1H-
isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-3-chlorophenyl)tetrahydro-4,7-ethano-
1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-[3-(trifluoromethoxy)phenyl]-4,7-
ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-4-(Octahydro-1,3,5-trioxo-4,7-ethano-
2H-isoindol-2-yl)-2-(trifluoromethyl)benzonitrile, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-[2-(methylsulfonyl)-
4-nitrophenyl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-2-(3,5-
Dibromophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-
Tetrahydro-2-(3-iodo-4-methylphenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-iodophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(2-methyl-6-quinoliny)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-[2-(methylthio)-5-(trifluoromethyl)phenyl]-4,7-ethano-1H-isoindole-
1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-2,6-diethylphenyl)tetrahydro-4,7-ethano-1H-
isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-[4-(trifluoromethyl)phenyl]-4,7-ethano-
1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-3-methylphenyl)tetrahydro-4,7-
ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-[4-(methoxymethyl)-2-oxo-
2H-1-benzopyran-7-yl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-N-Methyl-3-
(octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)benzamide, (3a α ,4 α ,7 α ,7a α)-2-(6-Acetyl-1,3-
benzodioxol-5-yl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-
Tetrahydro-2-(3,4,5-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-
2-Bromo-5-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)benzoic acid, methyl ester,
(3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-nitrophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3a α ,4 α ,7 α ,7a α)-2-[5-[(Difluoromethyl)sulfonyl]-2-methoxyphenyl]tetrahydro-4,7-ethano-1H-
isoindole-1,3,5(2H,4H)-trione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-(1-naphthalenyl)-4,7-ethano-1H-

isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-1-naphthalenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3,5-Dichlorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-[4-Bromo-3-(trifluoromethyl)phenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-3-methylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-1-naphthalenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[2-methyl-3-(trifluoromethyl)phenyl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(2,2-Difluoro-1,3-benzodioxol-5-yl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-[4-(4-Chlorophenoxy)-2-(trifluoromethyl)phenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-Fluoro-5-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)benzonitrile, (3 α ,4 α ,7 α ,7 α)-2-Chloro-4-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)benzonitrile, (3 α ,4 α ,7 α ,7 α)-N-[4-(Octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)-2-(trifluoromethyl)phenyl]acetamide, (3 α ,4 α ,7 α ,7 α)-2-[4-(1,1-Dimethylethyl)-3-nitrophenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(3-methyl-4-nitrophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[3-(1-methylethyl)phenyl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-N-(1,1-Dimethylethyl)-5-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)-1-naphthalenesulfonamide, (3 α ,4 α ,7 α ,7 α)-2-[3-(1,1-Dimethylethyl)phenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-N-Butyl-3-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)benzenesulfonamide, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3,4-Dichlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(4-Bromo-3-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-(1-naphthalenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-(2-naphthalenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3,5-Dichlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-[3,5-Bis(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-

dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(1,2,3,4-tetrahydro-1-naphthalenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(2,3-Dihydro-1H-inden-5-yl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)-1-naphthalenecarbonitrile, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Bromo-1-naphthalenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Chloro-1-naphthalenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(5-quinoliny)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(6-quinoliny)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(5-isoquinoliny)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3,5-Dinitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(2,4,5-trifluorophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-[2-Fluoro-5-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(2-Fluoro-5-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(2-Chloro-4-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-[2-Chloro-5-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3-Fluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3,4-Difluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3-Fluoro-4-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3,5-Difluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3-Chlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3-Chloro-4-fluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(3,4,5-trichlorophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3-Chloro-4-

methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(3-iodophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(3-nitrophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3-Acetylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3,4-Dimethylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3,5-Dimethylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[3-(hydroxymethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3-Ethylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)benzonitrile, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Bromophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-[4-Bromo-3-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Fluoro-3-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-[4-Fluoro-3-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Chloro-3-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-iodophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-nitrophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-(1-methylethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-methyl-3-nitrophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)benzeneacetonitrile, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Ethylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-propylphenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(2,3,4-trifluorophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-[4-(1,1-Dimethylethyl)-3-nitrophenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione

(3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Bromo-2,6-difluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(6-Benzothiazolyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(2-methyl-8-quinolinyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Fluoro-3-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(1,3-Dihydro-3-oxo-5-isobenzofuranyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-N-[2-Nitro-4-(octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)phenyl]acetamide, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(5-Acetyl-2-methyl-4-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(2-Ethyl-5-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(2-methyl-5-benzofuranyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(2,3-Dihydro-1-oxo-1H-inden-5-yl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(1H-indazol-5-yl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Bromo-3-chlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[3-(trifluoromethoxy)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)-2-(trifluoromethyl)benzonitrile, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-methoxy-3-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3,5-Dibromophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(3-iodo-4-methylphenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3-Chloro-4-iodophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(2-methyl-6-quinolinyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Chloro-3-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,

(3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-(methoxymethyl)-2-oxo-2H-1-benzopyran-7-yl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(2-oxo-2H-1-benzopyran-6-yl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[2-[(1-methylethyl)amino]-5-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3-Chloro-4-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(3-methyl-4-nitrophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-[5-[(Difluoromethyl)sulfonyl]-2-methoxyphenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[3-(1-methylethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-N-(1,1-Dimethylethyl)-5-(octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)-1-naphthalenesulfonamide, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-[(trifluoromethyl)thio]phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[2-(2-methoxyphenoxy)-5-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-(1,1,2,2-tetrafluoroethoxy)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-N-[4-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)-2-(trifluoromethyl)phenyl]acetamide, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3-Acetyl-4-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-[3-(1,1-Dimethylethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-N-Butyl-3-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)benzenesulfonamide, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[2-methyl-3-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-Fluoro-5-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)benzonitrile, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-N-Methyl-3-(octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)benzamide, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, 2-(2-Fluorenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[3-Chloro-4-(4-morpholinyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(2,3-Dihydro-1H-inden-5-yl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-1-naphthalenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Chloro-1-naphthalenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(3-iodo-4-methylphenyl)-1H-

isoindole-1,3(2H)-dione, Hexahydro-2-(4-nitro-1-naphthalenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(1H-indol-5-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(5-quinolinyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(1H-indazol-6-yl)-1H-isoindole-1,3(2H)-dione, 2-(1,3-Benzodioxol-5-yl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Fluoro-4-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(8-quinolinyl)-1H-isoindole-1,3(2H)-dione, 2-(2,3-Dihydro-1,4-benzodioxin-6-yl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(5-isoquinolinyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,4,5-trifluorophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,4,5-trichlorophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,3,4,6-tetrafluorophenyl)-1H-isoindole-1,3(2H)-dione, 2-(3,4-Difluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 1-Acetyl-2,3-dihydro-6-(octahydro-1,3-dioxo-2H-isoindol-2-yl)-1H-indole, 2-(3-Chloro-4-fluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3,4-Dichlorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(3,4,5-trichlorophenyl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-methoxyphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2-methyl-1-naphthalenyl)-1H-isoindole-1,3(2H)-dione, 2-(4-Chloro-3-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3,4-Dimethylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[4-Bromo-3-(trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-3-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Fluoro-3-nitrophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[4-Fluoro-3-(trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Chloro-3-nitrophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[4-Chloro-3-(trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Chloro-2-methoxy-5-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Fluoro-4-methoxyphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-Bromo-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)benzoic acid, methyl ester, Hexahydro-2-(4-methyl-3-nitrophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(3,4,5-trimethoxyphenyl)-1H-isoindole-1,3(2H)-dione, 2-(3,4-Dimethoxyphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[2-(2-pyridinyl)-1H-benzimidazol-5-yl]-1H-isoindole-1,3(2H)-dione, 2-(9-Ethyl-9H-carbazol-3-yl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2-methoxy-3-dibenzofuranyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,3,4-trifluorophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-methyl-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[6-(methylthio)-5-nitro-8-quinolinyl]-1H-isoindole-1,3(2H)-dione, 2-[2,5-Dichloro-4-(1H-pyrrol-1-yl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(6-methyl-5-quinolinyl)-1H-isoindole-1,3(2H)-dione, N-(1,1-Dimethylethyl)-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)-1-naphthalenesulfonamide, Hexahydro-2-[4-(methoxymethyl)-2-oxo-2H-1-benzopyran-7-yl]-1H-

isoindole-1,3(2H)-dione, 2-(6-Benzothiazolyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-Methoxy-4-(octahydro-1,3-dioxo-2H-isoindol-2-yl)benzoic acid, methyl ester, 2-Methyl-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)benzonitrile, Hexahydro-2-(2-oxo-2H-1-benzopyran-6-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2-methyl-8-quinoliny)-1H-isoindole-1,3(2H)-dione, 2-[3,5-Bis(trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,4,5-trimethylphenyl)-1H-isoindole-1,3(2H)-dione, 2-(4-Fluoro-3-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(3-methoxy-4-methylphenyl)-1H-isoindole-1,3(2H)-dione, N-Ethyl-2-methyl-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)-N-phenylbenzenesulfonamide, 2-(2,3-Dimethyl-1H-indol-5-yl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Dibenzofuranyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-nitrophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(1,3-Dihydro-2,2-dioxidobenzo[c]thiophen-5-yl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(6-nitro-2-naphthalenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(1H-indazol-5-yl)-1H-isoindole-1,3(2H)-dione, 2-(4-Amino-2,3,5,6-tetrafluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-3-chlorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)hexahydro-1H-isoindole-1,3(2H)-dione, 4-(Octahydro-1,3-dioxo-2H-isoindol-2-yl)-2-(trifluoromethyl)benzonitrile, Hexahydro-2-(9-oxo-9H-fluoren-1-yl)-1H-isoindole-1,3(2H)-dione, 2-Fluoro-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)benzonitrile, Hexahydro-2-(9-oxo-9H-fluoren-2-yl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-iodophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-2,3,5,6-tetrafluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,3,5,6-tetramethyl-4-nitrophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)-1H-isoindole-1,3(2H)-dione, 2-(3-Bromo-4-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-2-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(1-naphthalenyl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-2-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-(2-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2-Amino-4,5-dichlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-(8-hydroxy-5-quinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-(1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4-(Octahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1-naphthalenecarbonitrile, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-1-naphthalenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2-Fluorenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-(2-methyl-1-naphthalenyl)-4,7-methano-1H-

isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,5-Dichlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-fluorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Bromo-3-(trifluoromethyl)phenyl]hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-3-methylphenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinolinyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-(4-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-(1-oxido-4-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-(6-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-(1-oxido-6-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-(5-nitro-8-isoquinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate (1:1), (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-[4-(methylsulfonyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-[4-(methylthio)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4-(Octahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzenesulfonamide, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-[4-(methylsulfinyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Fluoro-1-naphthalenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4-(Octahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1-naphthalenecarboxylic acid, methyl ester, (3a α ,4 α ,7 α ,7a α)-2-(1,1-Dioxido-2H-naphth[1,8-cd]isothiazol-5-yl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-(6-hydroxy-3-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(1,2-Benzisothiazol-3-yl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Benzofuranyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3-(Octahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-benzofurancarboxylic acid, methyl ester, (3a α ,4 α ,7 α ,7a α)-Hexahydro-2-[4-(4-isothiazolyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,4a β ,5a β ,6 α ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,6-methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 α ,4a β ,5a β ,6 α ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,6-methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 α ,4a β ,5a β ,6 α ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,6-methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 α ,4a β ,5a β ,6 α ,6a α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinolinyl)-4,4a,5,5a,6,6a-hexahydro-4,6-methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[3-

(trifluoromethyl)phenyl]-4,6-methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3,5-Dichlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,6-methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)-4,4a,5,5a,6,6a-hexahydro-4,6-methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,7 β ,7a α)-3a,4,7,7a-tetrahydro-2-(2-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-Hexahydro-2-(1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-2-(3,5-Dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-3a,4,7,7a-Tetrahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-3a,4,7,7a-Tetrahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-Hexahydro-2-(2-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-2-(3,5-Dichlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,5 α ,7 α ,7a α)-Hexahydro-2-(2-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,5 α ,7 α ,7a α)-Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,5 α ,7 α ,7a α)-Hexahydro-2-(1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,5 α ,7 α ,7a α)-2-(3,4-Dichlorophenyl)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,5 α ,7 α ,7a α)-2-(3,5-Dichlorophenyl)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,5 α ,7 α ,7a α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,5 β ,7 α ,7a α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate (1:1), (3a α ,4 α ,5 β ,7 α ,7a α)-Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,5 α ,7 α ,7a α)-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,5 α ,7 α ,7a α)-Hexahydro-2-(4-nitro-1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione,

(3 α ,4 α ,5 β ,7 α ,7 α)-Hexahydro-2-(4-nitro-1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 β ,7 α ,7 α)-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,8 β ,8 α)-4,5,6,7,8,8a-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-4,5,6,7,8,8a-Hexahydro-2-(4-nitrophenyl)-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-4,5,6,7,8,8a-Hexahydro-2-(2-naphthalenyl)-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-2-[4-Bromo-3-(trifluoromethyl)phenyl]-4,5,6,7,8,8a-hexahydro-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-2-(3,4-Dichlorophenyl)-4,5,6,7,8,8a-hexahydro-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-4,5,6,7,8,8a-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-2-(3,4-Dichlorophenyl)-4,5,6,7,8,8a-hexahydro-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-2-(3,5-Dichlorophenyl)-4,5,6,7,8,8a-hexahydro-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-(3-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-2-[4-(methylthio)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-2-(5-chloro-2-methoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-(3-methoxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-(1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-2-(2,3-dimethylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-2-(3,4-dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromophenyl)-4,5,6,7,8,8-hexachloro-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-[2-methyl-5-(1-methylethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-N-(2-cyanophenyl)-1,4,5,6,7,7-hexachloro-5-norbornene-2,3-dicarboximide, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-2-(3-chloro-4-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-2-(2,3-dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-[3-(methylthio)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4,5,6,7,8,8-Hexachloro-2-(4-fluoro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(6-methyl-2-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(4-pyridinyl)-4,7-methano-1H-


isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(3-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(2-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(3-methyl-2-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, N-(4,6-Dimethyl-2-pyrimidinyl)-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzenesulfonamide, 3a,4,7,7a-Tetrahydro-2-[4-(2-hydroxyethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(2-mercaptophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, 2-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, methyl ester, 4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, 3-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, methyl ester, 4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzenesulfonamide, N-(4,5-Dihydro-5-methyl-3-isoxazolyl)-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzenesulfonamide, 3a,4,7,7a-Tetrahydro-2-(2-hydroxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-(phenylmethoxy)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[2-(phenylmethoxy)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-(phenylmethoxy)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-[(4-nitrophenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[2-[(4-nitrophenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-[(4-nitrophenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-[(4-methylphenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-[(4-methylphenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[2-[(4-methylphenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[4-[(4-Butylphenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[2-[(4-Butylphenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[3-[(4-Butylphenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[4-[(2-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[4-[(4-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[2-[(4-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[2-[(2-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[3-[(2-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[3-[(4-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-phenyl-4,7-methano-1H-

isoindole-1,3(2H)-dione, 2-[(Benzoyloxy)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[3-(3,4-Dimethylbenzoyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(3,4-Dimethylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, ethyl ester, 5-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1,3-benzenedioic acid, 4-[2-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)phenoxy]benzonitrile, 2-(5-Chloro-2-methoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(2-Acetylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-(5-oxazolyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Bromo-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-5-methyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2'-[4-Bromo-3-(trifluoromethyl)phenyl]-3'a,4',7',7'a-tetrahydrospiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole]-1',3'(2'H)-dione, (3a α ,4 β ,4a α 6a α ,7 β ,7a α)-2-(4-Bromo-1-naphthalenyl)-3a,4,4a,6a,7,7a-hexahydro-4,7-etheno-1H-cyclobut[f]isoindole-1,3(2H)-dione, (3a α ,4 β ,4a α 6a α ,7 β ,7a α)-2-(4-Bromo-3-methylphenyl)-3a,4,4a,6a,7,7a-hexahydro-4,7-etheno-1H-cyclobut[f]isoindole-1,3(2H)-dione, (3a α ,4 β ,4a α 6a α ,7 β ,7a α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)-3a,4,4a,6a,7,7a-hexahydro-4,7-etheno-1H-cyclobut[f]isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-2-[3,5-Bis(trifluoromethyl)phenyl]hexahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-2-(4-Bromo-3-methylphenyl)hexahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-Hexahydro-8-(1-methylethylidene)-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-2-(4-Bromo-1-naphthalenyl)hexahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-Hexahydro-8,8-dihydroxy-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-2-[3,5-Bis(trifluoromethyl)phenyl]hexahydro-8,8-dihydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-2-(4-Bromo-3-methylphenyl)hexahydro-8,8-dihydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-3-methylphenyl)hexahydro-8,8-dihydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,5-Dichlorophenyl)-3a,4,7,7a-tetrahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-[[3-(trifluoromethyl)phenyl]amino]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[(3-Chlorophenyl)amino]-3a,4,7,7a-tetrahydro-4,7-

methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 α ,7 α ,7 α)-Hexahydro-5-mercapto-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a' α ,4'a',7'a',7a'a')-2'-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)-3a',4',7',7a'-tetrahydrospiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole]-1',3'(2'H)-dione, (3 α ,4 α ,5 α ,7 α ,7 α)-Hexahydro-5-(4-nitrophenyl)-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2-mercaptophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 4-(Octahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, ethyl ester, 2-[4-(Diethylamino)phenyl]hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,9,9a-Tetrahydro-2-phenyl-4,9[1',2']-benzeno-1H-benz[f]isoindole-1,3(2H)-dione, 5-(Acetyloxy)hexahydro-2-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-(Acetyloxy)-2-(4-chlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-(Acetyloxy)hexahydro-2-(2-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-(Acetyloxy)-2-(3-chlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, Octahydro-2-(4-methoxyphenyl)-1,3-dioxo-4,7-methano-1H-isoindole-5-carboxylic acid, methyl ester, 2-(2,4-Dichlorophenyl)octahydro-1,3-dioxo-4,7-methano-1H-isoindole-5-carboxylic acid, methyl ester, Octahydro-2-(4-nitrophenyl)-1,3-dioxo-4,7-methano-1H-isoindole-5-carboxylic acid, methyl ester, Hexahydro-5-hydroxy-2-(4-methoxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)hexahydro-5-hydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-5-hydroxy-2-(4-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(4-Chlorophenyl)hexahydro-5-hydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(2,4-Dichlorophenyl)hexahydro-5-hydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-5-hydroxy-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-(Acetyloxy)hexahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-Hydroxy-5-(octahydro-1,3-dioxo-5-phenyl-1H-isoindol-2-yl)benzoic acid, Hexahydro-2-(4-hydroxyphenyl)-5-phenyl-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)hexahydro-5-phenyl-1H-isoindole-1,3(2H)-dione, Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-dione, 2-(3-Dibenzofuranyl)-3a,4,7,7a-tetrahydro-4,7-diphenyl-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(4-methoxyphenyl)-5-methyl-1H-isoindole-1,3(2H)-dione, 5-(2,4-Dimethylphenyl)-1,6a-dihydro-1-[4-(trifluoromethyl)phenyl]pyrrolo[3,4-d]-1,2,3-triazole-4,6(3aH,5H)-dione, Tetrahydro-2-phenyl-1H-isoindole-1,3,5(2H,4H)-trione, 5,6-Dibromo-2-(4-ethoxyphenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5,6-dimethyl-2-[4-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5,6-dimethyl-2-(2-propoxyphenyl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-2-methylphenyl)-3a,4,7,7a-tetrahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3'a,4',7',7'a-Tetrahydro-2'-(2,4,6-

trimethylphenyl)spiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole]-1',3'(2'H)-dione, 3a,4,7,7a-Tetrahydro-4-methyl-2-(3-methylphenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[4-(2-methyl-5-phenyl-1,3,4-thiadiazol-2-yl)phenyl]-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5-methyl-2-[4-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5-methyl-2-[4-(trifluoromethoxy)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-fluorophenyl)hexahydro-5-methyl-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5-methyl-2-[3-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-dione, 4-[1,3,3a,4,7,7a-Hexahydro-8-(1-methylethylidene)-1,3-dioxo-4,7-methano-2H-isoindol-2-yl]benzonitrile, 3a,4,7,7a-Tetrahydro-2-(4-hydroxyphenyl)-1H-isoindole-1,3(2H)-dione, 2-Methyl-2-propenoic acid, 4-(1,3,3a,4,7,7a-hexahydro-5-methyl-1,3-dioxo-2H-isoindol-2-yl)phenyl ester, 2-(4-Chlorophenyl)-3a,4,7,7a-tetrahydro-1H-isoindole-1,3(2H)-dione, 4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-2H-isoindol-2-yl)benzenesulfonamide, 3a,4,7,7a-Tetrahydro-2-phenyl-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(2-mercaptophenyl)-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-(methylthio)phenyl]-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)-3a,4,7,7a-tetrahydro-1H-isoindole-1,3(2H)-dione, 4,4a,5,5a,6,6a-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,6-ethenocycloprop[ff]isoindole-1,3(2H,3aH)-dione, 3'a,4',7',7'a-Tetrahydro-2'-(4-nitrophenyl)spiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole]-1',3'(2'H)-dione, 2-Hydroxy-5-(octahydro-1,3-dioxo-5-phenyl-4,7-methano-1H-isoindol-2-yl)benzoic acid, 4-(Octahydro-1,3-dioxo-5-phenyl-4,7-methano-1H-isoindol-2-yl)benzenesulfonamide, Hexahydro-2-(4-hydroxyphenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione and (3a α ,4 α ,7 α ,7a α)-2-[4-nitro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione; and pharmaceutically-acceptable salts thereof.

5 (New). A method of modulating the function of a nuclear hormone receptor in a mammal comprising administering to the mammal an effective nuclear hormone receptor modulating amount of a compound of the following formula I or a pharmaceutically acceptable salt thereof:



(I)

where the symbols have the following meanings, and are, for each occurrence, independently selected:

G is a cycloalkenyl, aryl or heterocyclo group, where said group is mono- or polycyclic and is optionally substituted at one or more positions;

Z₁ is O, S, NH, or NR⁶;

Z₂ is O, S, NH, or NR⁶;

Y is -J-J'-, where J is (CR⁷R^{7'})_n and n = 1-3, J' is a bond, -CR⁷R^{7'}-, or -CR⁸=CR^{8'}-, or Y is absent;

W is -CR⁷R^{7'}-CR⁷R^{7'}-, -CR⁸=CR^{8'}-, or -CR⁷R^{7'}-C=O'-;

A₁ is CR⁷, or where Y is absent, A₁ is CR⁷R^{7'};

A₂ is CR⁷, or where Y is absent, A₂ is CR⁷R^{7'};

Q₁ and Q₂ are each independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocycloalkyl or substituted heterocycloalkyl, arylalkyl or substituted arylalkyl, alkynyl or substituted alkynyl, aryl or substituted aryl, heterocyclo or substituted heterocyclo, halo, CN, -(C=O)OR¹, -C(=O)R⁴, -C(=O)NR⁵R⁶, -C(R⁷R^{7'})-OH, nitro, -(CH₂)OR¹, -OR¹, -C(=O)SR¹, -SO₂R¹, -NH₂, and -NR⁴R⁵;

L is a bond, -(CR⁷R^{7'})_m-, NH-, -NR⁵-, -NH(CR⁷R^{7'})_m-, or -NR⁵(CR⁷R^{7'})_m-, where m = 0-3;

R¹ and R^{1'} are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted

aryl, arylalkyl or substituted arylalkyl, provided, however, that R^1 is not hydrogen when attached to $-\text{SO}_2\text{O}-$ or $-\text{SO}_2-$;

R^4 is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $-\text{C}(=\text{O})\text{R}^1$, $-\text{C}(=\text{O})\text{OR}^1$, $-\text{C}(=\text{O})\text{NHR}^1$, $-\text{SO}_2\text{OR}^1$, $-\text{SO}_2\text{R}^1$ or $-\text{SO}_2\text{NR}^1\text{R}^{1'}$;

R^5 is alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $-\text{C}(=\text{O})\text{R}^1$, $-\text{C}(=\text{O})\text{NHR}^1$, $-\text{SO}_2\text{OR}^1$, $-\text{SO}_2\text{R}^1$ or $-\text{SO}_2\text{NR}^1\text{R}^{1'}$;

R^6 is alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, CN, $-\text{OR}^1$, $-\text{C}(=\text{O})\text{R}^1$, $-\text{C}(=\text{O})\text{NHR}^1$, $-\text{SO}_2\text{R}^1$, $-\text{SO}_2\text{OR}^1$ or $-\text{SO}_2\text{NR}^1\text{R}^{1'}$;

R^7 and $R^{7'}$ are at each occurrence independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN, OR^4 , nitro, hydroxylamine, hydroxylamide, NHR^4 , $-\text{NR}^5\text{R}^5$, $-\text{NHOR}^1$, thiol, alkylthio or substituted alkylthio, $-\text{C}(=\text{O})\text{R}^1$, $-\text{OC}(=\text{O})\text{R}^1$, $-\text{C}(=\text{O})\text{OR}^1$, $-\text{PO}_3\text{R}^1\text{R}^{1'}$, $-\text{C}(=\text{O})\text{NR}^1\text{R}^{1'}$, $-\text{C}(=\text{O})\text{SR}^1$, $-\text{C}(=\text{O})\text{NHSO}_2\text{R}^1$, $-\text{SOR}^1$, $-\text{SO}_2\text{R}^1$, $-\text{SO}_2\text{OR}^1$ and $-\text{SO}_2\text{NR}^1\text{R}^{1'}$;


or wherein W' is $-C(R^7R^{7'})-C(R^7R^{7'})-$, said R^7 and $R^{7'}$ groups of W' attached to the same carbon atom may be joined to form a spiro ring, or said R^7 and $R^{7'}$ groups attached to two different carbon atoms may be joined to form a fused, optionally-substituted monocyclic or bicyclic heterocyclic or carbocyclic ring;

or wherein J is $-C(R^7R^{7'})_n-$, said R^7 and $R^{7'}$ groups of J attached to the same carbon atom may be joined to form a spiro ring, or said R^7 and $R^{7'}$ groups attached to two different carbon atoms may be joined to form a fused, optionally-substituted monocyclic heterocyclic or carbocyclic ring;

R^8 and $R^{8'}$ are at each occurrence independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN, OR^4 , amino, NHR^4 , $-NR^5R^5$, $-NHOR^1$, alkylthio or substituted alkylthio, $-C(=O)R^1$, $-C(=O)OR^1$, $-PO_3R^1R^{1'}$, $-C(=O)NR^1R^1$, $-C(=O)SR^1$, $-SOR^1$, $-SO_2R^1$, $-SO_2OR^1$ and $-SO_2NR^1R^{1'}$;

or wherein J' is $-CR^8=CR^{8'}$ -, said R^8 and $R^{8'}$ groups attached to two different carbon atoms may be joined to form a fused, optionally-substituted monocyclic heterocyclic or carbocyclic ring.

6 (New). The method of claim 5, wherein said compound has the formula,



7 (New). The method of claim 6, wherein:

G is a monocyclic or bicyclic aryl or heterocyclo and is optionally substituted at one or more positions;

Y is $-(CR^7R^{7'})_n-$ where $n = 1-3$, or $-CR^8=CR^{8'}-$;

A₁ is CR⁷;

A₂ is CR⁷;

R¹ and R^{1'} are each independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, heterocyclo or substituted heterocyclo, and aryl or substituted aryl;


R⁴ is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkylalkyl or substituted cycloalkylalkyl, arylalkyl or substituted arylalkyl, $-C(=O)R^1$, $-C(=O)OR^1$, $-C(=O)NHR^1$, $-SO_2R^1$ or $-SO_2NR^1R^{1'}$;

R⁵ is alkyl or substituted alkyl, $-C(=O)R^1$, $-SO_2R^1$, or $-SO_2NR^1R^{1'}$;

R⁷ and R^{7'} are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano, OR⁴, $-NHR^4$, $-NR^5R^5$, $-C(=O)R^1$, $-OC(=O)R^1$, $-C(=O)OR^1$, $-C(=O)NR^1R^{1'}$, $-SO_2R^1$, or $-SO_2NR^1R^{1'}$; or

wherein W' is $-C(R^7R^{7'})-C(R^7R^{7'})-$, said R⁷ and R^{7'} groups of W' attached to the same carbon atom may be joined to form a spiro ring, or said R⁷ and R^{7'} groups attached to two different carbon atoms may be joined to form a fused, optionally-substituted monocyclic heterocyclic or carbocyclic ring.

8 (New). The method of claim 5, wherein said compound has a formula selected from one of,



9 (New). The method of claim 8 wherein,

G is a monocyclic or bicyclic aryl or heterocyclo and is optionally substituted at one or more positions;

A₁ is CH, C(alkyl), or C(substituted alkyl);

A₂ is CH, C(alkyl), or C(substituted alkyl);

R¹ and R^{1'} are each independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, heterocyclo or substituted heterocyclo, and aryl or substituted aryl;

R⁴ is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkylalkyl or substituted cycloalkylalkyl, arylalkyl or substituted arylalkyl, -C(=O) R¹, -C(=O)OR¹, -C(=O)NHR¹, -SO₂R¹ or -SO₂NR¹R^{1'};


R⁵ is alkyl or substituted alkyl, -C(=O) R¹, -SO₂R¹, or -SO₂NR¹R^{1'}; and

R⁷ and R^{7'} are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano, OR⁴, -NHR⁴, -NR⁵R⁵, -C(=O)R¹, -OC(=O)R¹, -C(=O)OR¹, -C(=O)NR¹R^{1'}, -SO₂R¹, or -SO₂NR¹R^{1'}; or

two R^7 and $R^{7'}$ groups are joined to a spiro cyclopropyl, or said R^7 and $R^{7'}$ groups may be joined to form a fused, optionally-substituted monocyclic heterocyclic or carbocyclic ring; and

R^8 and $R^{8'}$ are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano, OR^4 , $-NHR^4$, $-NR^5R^5$, $-C(=O)R^1$, $-OC(=O)R^1$, $-C(=O)OR^1$, $-C(=O)NR^1R^{1'}$, $-SO_2R^1$, or $-SO_2NR^1R^{1'}$.

10. (New). A method for treating a condition or disorder in a mammal comprising administering to the mammal a therapeutically effective amount of a compound of the following formula I or a pharmaceutically acceptable salt thereof:



where the symbols have the following meanings, and are, for each occurrence, independently selected:

G is a cycloalkenyl, aryl or heterocyclo group, where said group is mono- or polycyclic and is optionally substituted at one or more positions;

Z_1 is O, S, NH, or NR^6 ;

Z_2 is O, S, NH, or NR^6 ;

Y is $-J-J'$ -, where J is $(CR^7R^{7'})_n$ and $n = 1-3$, J' is a bond, $-CR^7R^{7'}$ -, or $-CR^8=CR^{8'}$ -, or Y is absent;

W is $-CR^7R^{7'}-CR^7R^{7'}$ -, $-CR^8=CR^{8'}$ -, or $-CR^7R^{7'}-C=O'$;

A_1 is CR^7 , or where Y is absent, A_1 is $CR^7R^{7'}$;

A_2 is CR^7 , or where Y is absent, A_2 is $CR^7R^{7'}$;

Q_1 and Q_2 are each independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted

cycloalkenyl, heterocycloalkyl or substituted heterocycloalkyl, arylalkyl or substituted arylalkyl, alkynyl or substituted alkynyl, aryl or substituted aryl, heterocyclo or substituted heterocyclo, halo, CN, $-(C=O)OR^1$, $-(C=O)R^4$, $-(C=O)NR^5R^6$, $-C(R^7R^7')-OH$, nitro, $-(CH_2)OR^1$, $-OR^1$, $-C(=O)SR^1$, $-SO_2R^1$, $-NH_2$, and $-NR^4R^5$; L is a bond, $-(CR^7R^7')_m-$, $NH-$, $-NR^5-$, $-NH(CR^7R^7')_m-$, or $-NR^5(CR^7R^7')_m-$, where $m = 0-3$;

R^1 and $R^{1'}$ are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, provided, however, that R^1 is not hydrogen when attached to $-SO_2O-$ or $-SO_2-$;

R^4 is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $-(C=O)R^1$, $-(C=O)OR^1$, $-(C=O)NHR^1$, $-SO_2OR^1$, $-SO_2R^1$ or $-SO_2NR^1R^{1'}$;

R^5 is alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $-(C=O)R^1$, $-(C=O)NHR^1$, $-SO_2OR^1$, $-SO_2R^1$ or $-SO_2NR^1R^{1'}$;

R^6 is alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, CN, $-OR^1$, $-(C=O)R^1$, $-(C=O)NHR^1$, $-SO_2R^1$, $-SO_2OR^1$ or $-SO_2NR^1R^{1'}$;

R^7 and $R^{7'}$ are at each occurrence independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN, OR^4 , nitro, hydroxylamine, hydroxylamide, NHR^4 , $-NR^5R^5$, $-NHOR^1$, thiol, alkylthio or substituted alkylthio, $-C(=O)R^1$, $-OC(=O)R^1$, $-C(=O)OR^1$, $-PO_3R^1R^1$, $-C(=O)NR^1R^1$, $-C(=O)SR^1$, $-C(=O)NHSO_2R^1$, $-SOR^1$, $-SO_2R^1$, $-SO_2OR^1$ and $-SO_2NR^1R^1$;

or wherein W' is $-C(R^7R^{7'})-C(R^7R^{7'})-$, said R^7 and $R^{7'}$ groups of W' attached to the same carbon atom may be joined to form a spiro ring, or said R^7 and $R^{7'}$ groups attached to two different carbon atoms may be joined to form a fused, optionally-substituted monocyclic or bicyclic heterocyclic or carbocyclic ring;

or wherein J is $-C(R^7R^{7'})_n-$, said R^7 and $R^{7'}$ groups of J attached to the same carbon atom may be joined to form a spiro ring, or said R^7 and $R^{7'}$ groups attached to two different carbon atoms may be joined to form a fused, optionally-substituted monocyclic heterocyclic or carbocyclic ring;

R^8 and $R^{8'}$ are at each occurrence independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN, OR^4 , amino, NHR^4 , $-NR^5R^5$, $-NHOR^1$, alkylthio or substituted alkylthio, $-C(=O)R^1$, $-C(=O)OR^1$, $-PO_3R^1R^1$, $-C(=O)NR^1R^1$, $-C(=O)SR^1$, $-SOR^1$, $-SO_2R^1$, $-SO_2OR^1$ and $-SO_2NR^1R^1$;


or wherein J' is $-CR^8=CR^{8'}-$, said R^8 and $R^{8'}$ groups attached to two different carbon atoms may be joined to form a fused, optionally-substituted monocyclic heterocyclic or carbocyclic ring;

wherein said condition or disorder is selected from the group consisting of proliferate

diseases, cancers, benign prostate hypertrophy, adenomas and neoplasies of the prostate, benign or malignant tumor cells containing the androgen receptor, heart disease, angiogenic conditions or disorders, hirsutism, acne, hyperpilosity, inflammation, immune modulation, seborrhea, endometriosis, polycystic ovary syndrome, androgenic alopecia, hypogonadism, osteoporosis, suppressing spermatogenesis, libido, cachexia, anorexia, inhibition of muscular atrophy in ambulatory patients, androgen supplementation for age related decreased testosterone levels in men, cancers expressing the estrogen receptor, prostate cancer, breast cancer, endometrial cancer, hot flushes, vaginal dryness, menopause, amenorrhea, dysmenorrhea, contraception, pregnancy termination, cancers containing the progesterone receptor, menopause, cyclesynchrony, meningioma, fibroids, labor induction, autoimmune disease, Alzheimer's disease, psychotic disorders, drug dependence, non-insulin dependent Diabetes Mellitus, dopamine receptor mediated disorders, congestive heart failure, disregulation of cholesterol homeostasis, and attenuating the metabolism of a pharmaceutical agent.

11 (New). The method of claim 10, wherein said disorder is prostate cancer.

12 (New). The method of claim 11, wherein said compound has a formula selected from one of,



- 13 (New). The method of claim 12 wherein,
- G is a monocyclic or bicyclic aryl or heterocyclo and is optionally substituted at one or more positions;
- A₁ is CH, C(alkyl), or C(substituted alkyl);
- A₂ is CH, C(alkyl), or C(substituted alkyl);
- R¹ and R^{1'} are each independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, heterocyclo or substituted heterocyclo, and aryl or substituted aryl;
- R⁴ is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkylalkyl or substituted cycloalkylalkyl, arylalkyl or substituted arylalkyl, -C(=O)R¹, -C(=O)OR¹, -C(=O)NHR¹, -SO₂R¹ or -SO₂NR¹R^{1'};
- R⁵ is alkyl or substituted alkyl, -C(=O)R¹, -SO₂R¹, or -SO₂NR¹R^{1'};
- R⁷ and R^{7'} are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano, OR⁴, -NHR⁴, -NR⁵R⁵, -C(=O)R¹, -OC(=O)R¹, -C(=O)OR¹, -C(=O)NR¹R^{1'}, -SO₂R¹, or -SO₂NR¹R^{1'}; or
- two R⁷ and R^{7'} groups are joined to a spiro cyclopropyl, or said R⁷ and R^{7'} groups may be joined to form a fused, optionally-substituted monocyclic heterocyclic or carbocyclic ring; and
- R⁸ and R^{8'} are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano, OR⁴, -NHR⁴, -NR⁵R⁵, -C(=O)R¹, -OC(=O)R¹, -C(=O)OR¹, -C(=O)NR¹R^{1'}, -SO₂R¹, or -SO₂NR¹R^{1'}.